



KOBAU Riss & Fugenband®



Type of crack / symbol



Field of application / properties

KOBAU Riss & Fugenband® is intended for the reinforcement of paint systems in case of individual cracks and joints in plasters, masonry and dry constructions. KOBAU Riss & Fugenband® is a knitted fabric of finished technical polyester. The central part of the tape is reinforced by narrow meshes. KOBAU Riss & Fugenband® is watertight, weatherproof, resistant to chemicals and non-fouling.

For use inside and outside.

Processing

Prepare the surface to be reinforced according to the national regulations and/or BFS notices. Subsequently, apply elastic reinforcing adhesive with binder according to DIN 55945 as embedding material uniformly until saturation. Embed KOBAU Riss & Fugenband® from the roll in the wet coating avoiding any formation of wrinkles and bubbles. After the reinforcing adhesive is almost dry, press the edges of the tape against the substrate. After complete drying, apply another coat of embedding material so that it covers the whole fabric. Subsequent work is to be performed observing the instructions of the manufacturer in each case.

Technical data

Quality	▶ PES fabric
Colour	▶ natural white
Stabilization	▶ chemical
Spec. weight DIN 53854	▶ abt. 56 g / m ²
Thickness	▶ abt. 230 µm
Max. longitudinal tensile force	▶ abt. 180 N / 5 cm
Max. transverse tensile force	▶ abt. 190 N / 5 cm
Longitudinal elongation	▶ abt. 65 %
Transverse elongation	▶ abt. 61 %

Delivery form

Roll dimensions: 0.12 m x 10 m
(other dimensions on request)

Tools

Roller, paint brush and smoothing tool

Embedding material

approx. 390 ml / m on smooth substrates

Storage

dry, cool, in closed spaces

Note

The above statements reflect the current stage of development and make no claim to be exhaustive. As the application and use of our product is beyond our control and variations in use, modes of operation and materials must be tailored to the prevailing working conditions, this technical information cannot be regarded as legally binding. This edition supersedes previous technical instructions.